



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/807,654	04/13/2001	Shusaku Okamoto	5077-000031	2201

27572 7590 04/11/2005

HARNESS, DICKEY & PIERCE, P.L.C.
P.O. BOX 828
BLOOMFIELD HILLS, MI 48303

EXAMINER

VO, TUNG T

ART UNIT PAPER NUMBER

2613

DATE MAILED: 04/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/807,654

Applicant(s)

OKAMOTO ET AL.

Examiner

Tung Vo

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19, 22-24 and 26-31 is/are pending in the application.
- 4a) Of the above claim(s) 20, 21 and 25 is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-19, 22-24 and 26-31 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date ____ | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03/18/05 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an

international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 1-6, 8-11 and 16-19, 22-24 are rejected under 35 U.S.C. 102(e) as being anticipated by Schofield et al. (US 6,498,620 B2).

Re claim 1, Schofield discloses an image processing apparatus comprising: an image processing part (18 of fig. 5) for receiving images captured by a plurality of cameras (14 and 16 of fig. 7) shooting surroundings of a vehicle (12 of fig. 1) to generate a synthetic image (col. 5, lines 59-64) viewed from a virtual point of view (col. 6, lines 1-4) from these camera images (col. 5, line 65-col. 6, line 4), wherein the image processing part (18 of fig. 5) changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view in accordance with a running state of the vehicle (col. 21, line 41-col. 22, line 6; note the image processor (18) responds to the temporal and spatial patterns of infrared signals detected by image capture devices (cameras 14, 16) in order to determine (selected) the speed and distance and, thereby, the separation of the vehicles as well as the rate of change of separation of the vehicles as considered a running state of the vehicle).

Moreover, Schofield further discloses the image processing part (18 of fig. 22) changes at least one selected from a position (col. 21, lines 25-41, e.g. the image processing changes a position in accordance with a running state of the vehicle), a direction of a line of sight (col. 21, line 67-col. 22, line 6, e.g. changing a field of view from rearward to forward of, or to the side of, the vehicle; see also col. 14, lines 1-29), and a focal length of the virtual point of view in accordance with a running state of the vehicle (cameras 14 and 16 of fig. 24, e.g. the cameras 14

Art Unit: 2613

and 16 inherently have a focal length and virtual point of view, so when the vehicle changes from one location to other location the focal length of the cameras also change); controlling capturing of an image outside a view range (cameras 14 and 16 of fig. 4, e.g. the cameras 14 and 16 captures the images outside a view range of the driver when the vehicle moving forward direction as consider running state, and the captured images can be displayed on the display 20' of fig. 10) of the virtual point of view in accordance with a running state of the vehicle; the image processor (18 of fig. 5) can generate an image including a first image viewed from the virtual point of view (14 Left of fig. 5) and a second image viewed from a different viewpoint and a different model (14 Right of fig. 5., see also 14A, 19 of fig., e.g. the camera 14A Left captures the first image at different angle from the camera 14A Right that captures the second image, the cameras 14A Right and Left are have different viewpoint from each other).

Re claim 2, Schofield further discloses wherein the image processing part (18 of fig. 5) changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view in accordance with a running speed of the vehicle (fig. 10 and fig. 11, note when the vehicle turns to the left or right, a position is changed so that the image capture devices (14 and 16 of fig. 5) picks up a new images based upon the changed position).

Re claim 3, Schofield further discloses wherein the image processing part (18 of fig. 5) changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view, and controls capturing of an image outside a view range of the changed virtual point of view (col. 14, lines 1-29, see also fig. 7, note distances R, S, P1 and P2).

Re claim 4, Schofield further discloses wherein the image processing part (18 of fig. 5) controls the capturing of an image outside a view range of the changed virtual point of view by changing a model for image synthesis (an object).

Re claim 5, Schofield further discloses wherein the image processing part changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view in accordance with a steering angle of the vehicle (XVII of fig. 12, see also col. 17, lines 31-36).

Re claim 6, Schofield further discloses wherein the vehicle includes an object detection sensor (176 of fig. 21, note the object sensor 176 may be a distance-measuring device, such scan active infrared sensor, an ultrasonic sensor, a radar sensor, or the like. Such object sensor is especially useful in determining the separation distance between the vehicle and objects in front of the vehicle. Preferably, object sensor 176 has a sensing field of view that is substantially coincident with the field of view of one or more of the image capture devices 14, 16) for detecting an obstacle, and the image processing part changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view in accordance with results of detection by the object detecting sensor (176 of fig. 21).

Re claim 8, Schofield further discloses an image processing apparatus comprising fig. 21) an image processing (18 of fig. 21) part for receiving images captured by a plurality of cameras (14 and 16 of fig. 21) shooting surroundings of a vehicle (10 of fig. 1) to generate a synthetic image viewed from a virtual point of view from these camera images, wherein the image processing part (18 of fig. 21) controls capturing of an image outside a view range of the virtual point of view in accordance with a running state of the vehicle (col. 14, lines 1-7).

Re claim 9, Schofield further discloses a monitoring system comprising: a plurality of cameras (14 and 16 of fig. 21) shooting surroundings of a vehicle; an image processing part (18 of fig. 21) for receiving images captured by the plurality of cameras to generate a synthetic image viewed from a virtual point of view from these camera images, a display part (20 of fig. 7) for displaying the synthetic image, wherein the image processing part changes at least one selected from a position, a direction of a line of sight, and a focal length of the virtual point of view in accordance with a running state of the vehicle (100 and 174 of fig. 21).

Re claims 10 and 16, Schofield further discloses an image processing apparatus comprising an image processing part (18 of fig. 21) for receiving images captured by a plurality of cameras (14 and 16 of fig. 21) shooting surroundings of a vehicle to generate a synthetic image from these camera images, wherein the image processing part (18 of fig. 21) generates an image including a first image (the captured image is from the camera 14 or 16) as the synthetic image, the second image being viewed fig. 3, the right image being viewed on the display is different from the left image) from a viewpoint that is different from the virtual point of view of the first image in at least one selected from a position, a direction of a line of sight and a focal length, or the second image being different from the first image in a model.

Re claim 11, Schofield further discloses wherein the second image is at least one of the camera images (fig. 3).

Re claims 17 and 23, Schofield further discloses an image processing apparatus comprising: an image processing part (18 of fig. 2) for receiving images captured by a plurality of cameras (14 and 16 of fig. 7) shooting surroundings of a vehicle (10 of fig. 1) to generate a synthetic image from these camera images, wherein in the synthetic image, the image processing

part (20 of fig. 5 and a display 20 of fig. 3) displays at least a part of a vehicle region (42 of fig. 3) where the vehicle is present, and an attention drawing region (50 and 52 of fig. 3) for drawing attention in which at least a part of the surroundings of the vehicle is shown, wherein the attention drawing region includes at least a part of a blind spot region around the vehicle that is not shot by any of the cameras (20 of fig. 3, note the display (20) is displaying the image that includes a part of blind spot, a part of a blind spot regions around the vehicle that is not shot by any of the cameras as considered harsh marks 70a and 70b of fig. 6, harsh marks are displayed on the display 20" to indicate the blind spot drawing regions that not shot by any cameras, col. 17, lines 10-64).

Re claim 18, Schofield discloses wherein the synthetic image is an image viewed from a virtual point of view that is set above the vehicle (fig. 3).

Re claim 19, Schofield further discloses wherein the image processing part displays an illustration image or an actual image of the vehicle on the vehicle region (20 of fig. 3, see also col. 7, line 47-col. 8, line 12).

Re claim 22, Schofield further discloses wherein the image processing part determines a range of a region obtained by combining the blind spot region and the vehicle region, using region data showing a projection region of the vehicle in each camera image (76 of fig. 14., see also col. 9, lines 7-11).

Re claim 24, Schofield discloses an image processing apparatus comprising an image processing part (18 of fig. 5) for receiving images captured by a plurality of cameras (14 and 16 of fig. 5) shooting surroundings of a vehicle to generate a synthetic image from these camera images, wherein the image processing part (18 of fig. 5) generates the synthetic image, using a

Art Unit: 2613

mapping table (col. 14, lines 30-56) including first mapping data describing a correspondence relationship between pixels of the synthetic image and pixels of the camera images (Left image and Right image are from the outputs of the cameras 14 in figure 5, see also fig. 3), and second mapping data describing an identifier showing that a pixel of the synthetic image corresponds to pixel data other than the camera images (58 of fig. 3), and Schofield further discloses wherein the pixel data other than the camera images show the vehicle or a blind spot region that is present in at least a part of the surroundings of the vehicle (44, 46, 48 of fig. 3, e.g. the blind spot region is between 50 and 52 of fig. 3 and the surrounding cars are also displayed).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 10-15 and 26-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schofield et al. (US 6,498,620 B2) in view of Shimizu (US 5,796,991).

Re claims 10-15, and 26-27, Schofield teaches an image processing apparatus comprising an image processing part (18 of fig. 5) for receiving images captured by a plurality of cameras (14 and 16 of fig. 5) shooting surroundings of a vehicle to generate a synthetic image from these camera images, wherein the image processing part (18 of fig. 5) generates the synthetic image, using a mapping table (col. 14, lines 30-56) including first mapping data describing a correspondence relationship between pixels of the synthetic image and pixels of the camera

images (Left image and Right image are from the outputs of the cameras 14 in figure 5, see also fig. 3), and second mapping data describing an identifier showing that a pixel of the synthetic image corresponds to pixel data other than the camera images (58 of fig. 3); wherein the pixel data other than the camera images show the vehicle or a blind spot region that is present in at least a part of the surroundings of the vehicle (70A and 708 of fig. 6).

It is noted that Schofield does not teach the image processing part stores a predetermined image other than the camera images, and with respect to the pixel of the synthetic image, the second mapping data describe coordinate values corresponding to the pixel in the stored predetermined image; wherein the first image is a close view image showing the vehicle and surroundings thereof, and the second image is a distant view image showing an area distant from the surrounding area of the vehicle that is shown by the close view image; wherein the image processing part arranges the distant view image around the close view image in the synthetic image; wherein the distant view image is an image having continuity with the close view image as claimed. However, Shimizu further discloses wherein the image processing part stores a predetermined image other than the camera images (CG MODEL DATABASE, 244 of fig. 7), and with respect to the pixel of the synthetic image (213 of fig. 7), the second mapping data describe coordinate values corresponding to the pixel in the stored predetermined image (CG IMAGE FORMING UNIT, 235 of fig. 7); wherein the second image is at least one of the camera images (201L and 201R of fig. 7); wherein the first image is a close view image showing the vehicle and surroundings thereof, and the second image is a distant view image showing an area distant from the surrounding area of the vehicle that is shown by the close view image (fig. 6 A, fig. 10A-10E); wherein the image processing part arranges the distant view image around the

Art Unit: 2613

close view image in the synthetic image (figs. 6A and 6B); wherein the distant view image is an image having continuity with the close view image (figs. 10A-10E); wherein the first image shows at least a part of the vehicle and at least a part of the surroundings of the vehicle, and the second image is obtained by enlarging at least a part of the region shown by the first image (figs. 10A-10E). Taking the combined teachings of Schofield and Shimizu as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Shimizu into the image processing part (18 of fig. 5) of Schofield for the same purpose of synthesizing the images with the predetermined model. Doing so would provide a natural appearance among images of virtual objects and an improved simulation environment.

6. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schofield et al. (US 6,498,620 B2) in view of Shum et al. (US 6,271,847).

Re claim 28, Schofield discloses an image processing apparatus comprising an image processing part (18 of fig. 5) for receiving images captured by a plurality of cameras (14 and 16 of fig. 5) shooting surroundings of a vehicle to generate a synthetic image from these camera images, wherein the image processing part uses mapping data (col. 14, lines 30-56) but not describing a correspondence relationship between pixels of the synthetic image and a plurality of pixel data including one or both of pixel data of the camera images and pixel data other than the camera images, and describing a rate of necessity with respect to each of the pixel data, and weights each pixel data in accordance with the rate of necessity, thereby generating the pixel data of the pixels of the synthetic image.

However, Shum teaches describing a correspondence relationship between pixels of the synthetic image and a plurality of pixel data including one or both of pixel data of the camera images and pixel data other than the camera images, and describing a rate of necessity with respect to each of the pixel data, and weights each pixel data in accordance with the rate of necessity, thereby generating the pixel data of the pixels of the synthetic image (fig. 11 and 12). Therefore, taking the teachings of Schofield and Shum as a whole, it would have been obvious to one skill in the art to incorporate the teachings of Shum into Schofield to perform the process of mapping weighted pixels and rate. Doing so would provide for better blending of images having radically different scales (i.e. zoom).

7. Claims 1, 7 and 29 rejected under 35 U.S.C. 103(a) as being unpatentable over Daily et al. (US 6,317,127) in view of Schofield et al. (US 6,498,620 B2).

Re claims 1, 7 and 29, Daily teaches an image processing apparatus (fig. 1) comprising an image processing part (48 of fig. 1) for receiving images captured by a plurality of cameras (12 of fig. 1) shooting surroundings of airplane to generate a synthetic image (50 of fig. 1) from these camera images, wherein the image processing part includes an original mapping table (80 of fig. 5), cuts out a mapping table describing a correspondence relationship between pixels of the synthetic image and pixels of the camera images (figs. 6 and 7), and generates the synthetic image, using the cut-out mapping table (108 of fig. 7); wherein the image processing part (40 of fig. 1) includes an original mapping table (fig. 5) and generates a synthetic image using a mapping table (108 of fig. 7) that is cut out from the original mapping table, and the image processing part changes at least one selected from a position, a direction of a line of sight, and a

focal length of the virtual point of view by changing the mapping table to be cut out from the original mapping table (106, 114 and 116 of fig. 7).

It is noted that Daily does not particularly teaches the cameras are mounted on or attached to the vehicle to capture the surroundings as claimed.

However, Schofield teaches cameras (14 and 15 of fig. 1) are mounted on the vehicle and capturing images surroundings the vehicle. Therefore, taking the combined teachings of Daily and Schofield as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Daily and Schofield as a whole, it would have been obvious to one skill in the art to incorporate the teachings of Schofield into the image processing apparatus of Daily to generate the synthesized image from virtual point of view from the cameras. Doing so would improves performance by further reducing blind spots at the side and rear of the vehicle.

8. Claims 30 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schofield et al. (US 6,498,620 B2) in view of Ijima et al. (US 5,973,726).

Re claims 30 and 31, Schofield teaches the synthesized image above but not the virtual point of view has been viewpoint-converted from an actual viewpoint as claimed.

However, Iijima teaches the virtual point of view has been viewpoint-converted from an actual viewpoint (38 of fig. 1, e.g. the corresponding point extracting portion is extracting (converting) the virtual point of view from the actual viewpoint of the cameras (10L and 10R of fig. 1) and then forming the plane image from the virtual point of view of the images from the cameras; see also col. 9, lines 15-21).

Art Unit: 2613

Therefore, taking teachings of Schofield and Ijima as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teaching of Ijima into the image processing apparatus of Schofield for generating the synthesized image from the virtual point of view from the cameras. Doing so would provide the apparatus to generate the synthesized image for display without losing continuity of images and degrading the quality of image.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Dearth (US 3,750,166) discloses a pilot data system.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung Vo whose telephone number is 571-272-7340. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris. Kelley can be reached on 571-272-7331. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2613

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Tung Vo', with a long horizontal line extending to the left.

Tung Vo
Primary Examiner
Art Unit 2613